



Butte County Environmental Health Division
 202 Mira Loma Drive, Oroville, California 95965
 Phone: (530) 552-3880
 Email: alternativeprogram@buttecounty.net

ALTERNATIVE FIRE DEBRIS REMOVAL PROGRAM APPLICATION

Who needs to complete this form? Private property owners who:

- (1) decide **not** to participate in the Government Sponsored Debris Removal Program (Government CalOES Program) and choose to clean up their property by hiring a qualified contractor and following the Alternative Fire Debris Removal Program (Alternative Program);
OR
- (2) own properties with qualifying structures that are not eligible for the Government (CalOES) Program. The owner is required to clean up the property to the standards established in ordinances, regulations and this document, so that health and safety risks are adequately addressed for the community and the environment. The Alternative Program requires owners to provide documentation demonstrating adequate cleanup and proper disposal of debris.

As previously noted, if your property did not include a qualifying structure as outlined in the Government (CalOES) Plan, you are not required to complete the Alternative Fire Debris Removal Program Application. If this describes your property, contact the Butte County Environmental Health Division to obtain a certificate to bring your debris to the Neal Road Recycling and Waste Facility.

Please note that State disaster assistance funding will not reimburse property owners for work completed by a hired contractor under the Alternative Program.

Where do I submit this form? Submit this form to the Butte County Environmental Health Division at 202 Mira Loma Drive, Oroville, California 95965.

Property Owner Name: _____

Phone(s): _____

Property Address: _____

City/State/Zip: _____

Assessor's Parcel Number (APN): _____

Email: _____

Mailing Address: _____

City/State/Zip: _____

Description of Debris Being Removed (number and types of structures, types of waste, etc.)

Program Participation

A Licensed Contractor with proper certifications shall perform the ash and debris removal, hazardous materials and asbestos removal and other cleanup work. Contractors must comply with the California Contractors State License Board (CSLB) requirements to perform cleanup work under the Alternative Program.

Name of Contractor:

License Number:

Proposed Start Date:

Required: Owners are required to obtain approval from the Butte County Environmental Health Division for the work plan prior to starting debris cleanup. Any employee performing debris removal shall have (at a minimum) OSHA 40-hr HAZWOPER Training in accordance with 29 C.F.R. §1910.120.

A. Property Owner Acceptance of Requirements and Indemnification

I have read and will fully comply, as will any contractor working on my property, with the conditions described in the document “**Management of Camp Fire Debris**” and approved work plan. I understand the ash and debris contain hazardous substances and exposure to hazardous substances may lead to acute and chronic health effects, and may cause long-term public health and environmental impacts and proper disposal of the debris is necessary to limit these impacts. I agree to ensure my contractor will wet down ash and debris before removal and will control dust on the property. I agree to ensure my contractor will completely encapsulate the ash and debris with a tarp ("burrito wrap" method) prior to transportation for proper disposal. I agree to ensure my contractor will collect soil samples and submit analytical results with the Debris Removal Cleanup Certification to certify the project has been completed.

I understand that human remains may be encountered during the cleanup and that due to the extreme heat of the fire, any human remains are likely to consist of bones or bone fragments. I agree that if possible human remains are encountered (including any type of bones) during debris removal efforts, all personnel will be careful not to disturb the possible remains, exit the property, immediately report the possible remains to the Butte County Sheriff’s Office at (530) 538-7322, and will wait for a search team to arrive and determine whether they are in fact human remains before resuming debris cleanup.

I agree that the decision as to whether the Alternative Program requirements have been met is in the sole discretion of the Butte County Environmental Health Division and that such decision is final.

I certify that I am the owner or authorized agent of the real property located at the above address. I hereby certify that I have full power and authority to execute this application without the need for any further action, including but not limited to notice or approval from any other party.

I acknowledge that the decisions made by the County of Butte and Town of Paradise (Local Government) are discretionary functions and Local Government is not liable for any claim based on the exercise or failure to exercise a discretionary function and promise not to make such a claim. I further release and agree to hold and save harmless Local Government from all liability for any damage or loss whatsoever that may occur during or after performance of the Alternative Program activities. I therefore waive any claim or legal action against Local Government.

Property Owner Signature (Required): _____

Date: _____

Contractor Signature: _____

Date: _____

B. Environmental Health Division Approval

The Butte County Environmental Health Division has reviewed the work plan for debris removal for the above-referenced property. The work plan is complete and is therefore approved. The debris removal project shall not deviate from the approved work plan without written approval from the Butte County Environmental Health Division. Whenever necessary to make an inspection to ensure compliance with the approved work plan, any authorized official of the County may, upon presentation of proper credentials, enter such property at all reasonable times to inspect any provision of the approved work plan.

Environmental Health Representative Signature: _____

Print Name and Title: _____

Date: _____



Butte County Environmental Health Division
202 Mira Loma Drive, Oroville, California 95965
Phone: (530) 552-3880
Email: alternativeprogram@buttecounty.net

Guidelines, Templates and Resource List for Property Owners, Contractors and Consultants

The following guidelines, templates, and resource list have been created to assist property owners, contractors and consultants through the cleanup process. While the templates presented here are optional, it is strongly recommended that property owners, contractors and consultants follow the organizational processes outlined. This will enable a more expedient review and approval of work plans and reports, and help reduce timelines for the Butte County Environmental Health Division to issue a Property Cleanup Completion Certification for your property to start the rebuilding process.

Guidelines/Templates/Resource Summary

- Appendix A Work Plan Outline/Contents
- Appendix B Final Report Checklist/Contents
- Appendix C Solid Waste Disposal Site/Recycling Resource
- Appendix D Certified Asbestos Contractor List
- Appendix E Template Work Plan
- Appendix F Cleanup Completion Certification

Work Plans and Reports Outline/Contents

Please be advised it is the intent of Work Plans and Reports to provide working guidance such that no steps are missed in the cleanup process that might unduly burden property owners in having to perform additional or unnecessary work that may have been identified at the early stages of the project cleanup.

Included as **Appendix A and B** to this document please find general work plan and report format outlines that will assist in the timely review of submitted documents. **Appendix E** includes a standard work plan template that can be used to ensure that a comprehensive work plan is submitted, although site-specific details are required.

Debris Removal Requirements to Solid Waste Disposal Facilities

As a general note, sites that the US EPA or DTSC have marked as potentially not cleared of household hazardous waste (HHW) shall be appropriately addressed within the work plan for debris characterization, removal and disposal. Fire debris/ash at a minimum shall be disposed of at a Class III disposal facility with a liner approved by the Regional Water Control Board to accept the waste. Any debris characterization requirements of the disposal site shall be met before transportation to such site. An approved hauler appropriately licensed for the material transported will need to perform such work, and the material must be wetted and “burrito wrapped” (CalRecycle protocol) and tarped for transport and ultimate disposal. Contractors/haulers failing to adhere to this standard may have their material rejected at the disposal facility and/or a fine imposed.

Asbestos transport and disposal shall be disposed of at a facility permitted to accept such waste. Best management practices shall be established in such handling and disposal (work plan should have provisions outlined where asbestos is encountered), and a hauler appropriately licensed for the material transported will need to perform such work.

Transport and Disposal documentation for generated debris removal shall be retained and included with your Alternative Fire Debris Removal Program Cleanup Completion Certification submittal. Included as **Appendix C**, is a preliminary list of disposal and recycling facilities.

Metal and Concrete

Property owners and their contractor(s) should recycle metals and concrete when possible. Concrete and metal should be separated and should not be over 2 inches in dimension or have exposed rebar over 5 inches. Concrete and metal must be generally free of ash and debris.

- Metal and concrete shall be rinsed down on site and over the debris pile prior to transport. Engineering controls for storm water discharges must be in place.
- Concrete and metal must be covered with a tarp prior to transport.
- Speeds must be reduced when driving on unpaved roadways.

Dust Control

Property owners or their contractor(s) must provide water or an approved dust palliative, or both, to prevent dust nuisance at each site. Dust resulting from performance of the work shall be controlled at all times.

- Each area of ash and debris to be removed must be pre-watered 48 to 72 hours in advance of the removal. Hoses with a fine spray nozzle are recommended. The water must be applied in a manner that does not generate runoff. Engineering controls for storm water discharges must be in place prior to dust control operations.
- All loads shall be covered with a tarp. Ash and debris loads shall be fully encapsulated with 10-millimeter plastic (“burrito wrap” method). Concrete loads are exempt from a tarp, provided the loads are wetted prior to leaving. If concrete loads generate dust, then the loads must be wetted and covered.

- All waste material that is not unloaded at the end of each workday should be consolidated, sufficiently wetted, and/or covered to prevent the offsite migration of contaminants.
- All visibly dry disturbed soil surface areas of operation should be watered to minimize dust emissions during performance of work.
- Speeds must be reduced when driving on unpaved roadways.
- Procedures must be implemented to prevent or minimize dirt, soil, or ash from contaminating roadways, neighboring parcels, or creating an airborne health hazard. The use of blower devices, dry rotary brushes, or brooms for removal of carryout and track out on public roads is strictly prohibited.

Vehicle and Road Safety

If removal activities on property owners’ parcels will create a roadway blockage or hinder traffic patterns, property owners or their contractors are responsible for obtaining any required local permits and shall post all warning signs, as required by local ordinances. As there may be many contractors actively working on remediation efforts in the burn area, it is in property owners’ best interests to identify removal and remediation efforts in adjacent areas that could impact the ability to locate, park, or transport equipment and materials.

Soil Testing and Screening Criteria for Work Plans and Subsequent Report of Findings

Initial Screening Criteria have been established in consultation with CalRecycle for soil confirmation sampling after completion of visible cleanup of properties. Please note, that these are initial health screening criteria in the absence of background data. If cleanup is completed before CalRecycle completes its background sampling, then background samples on your property, outside the ash footprint (minimum 20 ft.), must be taken to determine if naturally occurring levels of any metals tested are above the cleanup goals. If samples from the ash footprint are below the cleanup goals, then the lab will not need to test the background samples. If sample results for any metals are above the cleanup goals, but are at or below the background sample results, this shall be explained by your soil consultant in the final testing report.

Testing of metals must be performed by EPA Lab Method 6020.

Initial Health Screening Criteria for Soil		
Analyte	Health Screening Level (mg/Kg)	Cleanup Level
Antimony	30	Health Screen
Arsenic	0.07	Health Screen
Barium	5,200	Health Screen
Beryllium	15	Health Screen
Cadmium	1.7	Health Screen
Chromium	36,000	Health Screen
Cobalt	23	Health Screen
Copper	3,000	Health Screen
Lead	80	Health Screen
Mercury	5.1	Health Screen
Molybdenum	380	Health Screen
Nickel	490	Health Screen

Selenium	380	Health Screen
Silver	380	Health Screen
Thallium	5	Health Screen
Vanadium	390	Health Screen
Zinc	23,000	Health Screen

General Recycling and Testing Guidelines

Included as **Appendix C** is a resource list for general recycling of concrete and metals. Please note, this list is provided as a courtesy and information contained herein should be verified by the property owner/ contractor/ consultant before taking material to the vendors listed. This list is not complete. Additionally, for concrete transport and disposal, disposal may be limited due to the potential presence of asbestos. As such testing is recommended before transport, disposal and acceptance criteria should be verified with potential processors.

Well and Septic Guidelines

Well Safety

- Contact Butte County Environmental Health Division at (530) 552-3880 for water safety questions, well location, and to obtain information on well repair permits for both county and Town of Paradise.
- Contact your water service provider if you are not on a well.
- If you will be rewiring electrical lines to your well, you are required to obtain a permit from Building Division.
- Identify wells and water tanks on the property and take steps to protect them during debris removal

Septic Systems

- If located in the county, contact Butte County Environmental Health Division at (530) 552-3880 for questions regarding your system location.
- If located in the Town of Paradise, contact the Onsite Division at (530) 872-6291 ext. 116 for questions regarding your system location.
- Identify septic tank and leach field locations and take steps to protect them during debris removal.
- Any immediate hazard involving the septic tank or septic system shall be mitigated prior to debris removal.

Grading and Erosion Control

Once grading has been completed, best management practices shall be implemented to establish erosion control at the disturbed site.

- Follow best management erosion and sediment control practices to prevent ash, soil, and other pollutants from washing into the street, drainage courses and culverts, or onto neighboring properties.
- Stockpiled materials that are not immediately loaded for transport shall be handled and stored on site in such a manner as to avoid offsite migration. This may include wetting and

covering the waste until it is loaded and transported. Locate stockpiles away from drainage courses, drain inlets or concentrated flows of storm water.

- Stockpiled material may not be stored or placed in a public roadway.
- During the project and in the rainy season, cover non-active soil stockpiles and contain them within temporary perimeter sediment barriers, such as berms, dikes, silt fences, or sandbag barriers. You may use a soil stabilization measure in lieu of cover.
- Implement appropriate erosion control measures during debris removal and provide final site stabilization after debris removal is completed.

Foundations, Slabs, and Foundation Systems

Foundations and slabs are required to be included as part of the fire debris removed from a site unless approved by the applicable Building Division. In general, the structural integrity of concrete and masonry (CMU) can adversely be affected in fire situations, especially when the structure is completely consumed by the fire. The properties of the material may be irreversibly altered rendering it unsatisfactory for reuse in supporting a rebuilt structure. There are a number of tests and standards for evaluating the compressive strength of the concrete or masonry including ASTM C39 and ASTM C140 which involve taking core samples from foundations and doing a compressive test in a certified lab. Homeowners interested in pursuing an exception and retaining their foundation shall submit a letter from a Licensed Civil or Structural Engineer certifying the foundation is acceptable for rebuild. The letter shall adequately explain the basis for the decision and shall include testing results. Owners are required to obtain approval from the Butte County or Town of Paradise Building Division and the Butte County Environmental Health Division for reuse of the foundation. Homeowners and contractors shall follow the CalRecycle Debris Operational Guidance: Damaged Concrete at Wildland Urban Interface Fires.

Visit [www.buttecountyrecovers.org/debris removal](http://www.buttecountyrecovers.org/debris%20removal).



Butte County Environmental Health Division
202 Mira Loma Drive, Oroville, California 95965
Phone: (530) 552-3880
Email: alternativeprogram@buttecounty.net

Appendix A

Work Plan Outline/Contents

1.0 Project Overview

- 1.1 Property and Property Owner(s) information
 - Name and contact information
 - Site address/APN
- 1.2 List of Contractors (name, license, contact information)
- 1.3 Scope of Work
 - 1.3.1 Description of property and proposed activities
 - 1.3.1.1 **Identify equipment and material staging area**
 - 1.3.1.2 **Site Health and Safety**
 - 1.3.1.3 **Traffic Control**
 - 1.3.2 Footprint Measurements
 - 1.3.2.1 **Sketch footprint and describe type of foundation(s) and other hardscape**
 - 1.3.2.2 **Photograph each site from all sides to document all aspects of the property**
 - 1.3.2.3 **Sketch and record ash footprints**
 - 1.3.2.4 **Identify and photograph other property-specific hazards**
(i.e., swimming pools, large vehicles)
 - 1.3.3 Water Lines / Wells (if applicable)
 - 1.3.3.1 **Identify water wells on properties**
 - 1.3.3.2 **Identify water and electrical sources**
 - 1.3.4 Septic Systems / Sewer Lines (If applicable)
 - 1.3.4.1 **Identify septic tank and leach field locations** on each property
- 1.4 Statement of intent to notify and/or obtain required permits and to work within acceptable hours of operation
 - 1.4.1 Underground Service Alert (USA)
 - 1.4.1.1 **Check for underground utilities** by alerting Underground Service Alert (USA) for public right of way
 - 1.4.1.2 **Check for underground utilities** by using an independent private utility locator service for private right-of-way, if necessary
 - 1.4.2 Butte County Environmental Health Division Alternative Fire Debris Removal Program Application and Work Plan approval

Appendix A

1.4.3 Acceptable hours of operation:

Monday through Thursday and non-holidays	Sunrise to Sunset
Friday	Sunrise to 6 p.m.
Saturday and holidays	8 a.m. to 6 p.m.
Sunday	10 a.m. to 6 pm.

1.4.4 For sites with Naturally Occurring Asbestos: Evidence of notifying the Butte County Air Quality Management District and approval of a NOA Dust Mitigation Plan

2.0 Background Site Assessment

2.1 Site Testing and Analysis Plan (Asbestos and Soil)

- **Conduct surveys to identify, sample, and analyze results for suspected gross asbestos containing materials (ACM)** including concrete foundations and mortar
- **Determine if Site may be impacted by Naturally Occurring Asbestos (NOA) in the soils or underlying rock. More information may be found at:**
<https://bcaqmd.org/resources-education/asbestos/>

2.2 Foundation Analysis and Plan (if foundation is to remain in place testing, certification and approval is required)

3.0 Hazardous Waste and Asbestos Removal

3.1 Hazardous Waste and Household Hazardous Waste Removal

3.2 Asbestos Removal

- **Initiate air monitoring protocol and fugitive dust controls**

3.3 Air Monitoring Protocols for Fugitive Dust Control. Additional controls may be required if NOA is identified on the site.

3.4 Submit reports for hazardous waste and asbestos survey, analytical reports and disposal documentation to the Butte County Environmental Health Division for disposal authorization at a properly permitted landfill such as the Neal Road Recycling and Waste Facility.

4.0 Debris Removal and Disposal / Recycling

4.1 Ash, Fire Debris and Soil

- **Collect, consolidate, and remove ash, debris and soil for disposal**
 - Neal Road Recycling and Waste Facility will need certification from the Butte County Environmental Health Division that the ash and debris has been assessed for hazardous waste and asbestos and any discovered hazardous waste or asbestos has been properly removed and disposed
 - All disposal-related document and receipts shall be retained for final report

Appendix A

- 4.2 Metals Including Vehicles and Appliances
 - **Remove vehicles for recycling or disposal**
 - Name of Recycling Facility
 - Provide VIN information to DMV
 - **Collect, and remove metals for recycling**
 - Name of Recycling Facility
 - Disposal Site
- 4.3 Concrete, Brick & Masonry
 - **Collect and remove concrete for recycling or disposal**
 - **Track and log quantities and types of materials transported to landfill or recycling facility**
 - All disposal-related document and receipts shall be retained for final report
- 5.0 **Soil Grading and Erosion Control**
 - 5.1 Description of Grading Activities
 - **Finish grading/smoothing ground surface**
 - 5.2 Description of Erosion Controls
 - **Once cleanup goals have been met**, the site will be prepared for final erosion control and certification
 - **Implement storm water best management practices** to control sediment runoff from each remediated property
- 6.0 **Confirmation Sampling**
 - **Prepare a site diagram or sketch that includes the anticipated soil sample locations**
 - **Sample and analyze soil**
 - **Compare soil analytical results to Government (CalOES) Program cleanup goals and background sample results, if necessary.**
 - **If results exceed Government (CalOES) Program cleanup goals and cannot be explained by the soil consultant in connection with the background samples, another layer of soil must be removed, and confirmation samples must be collected.**
 - **Acknowledge preparation of a site-specific final report per Appendix B** for delivery to the County with the Alternative Fire Debris Removal Program Cleanup Completion Certification Form
- 7.0 **Attachments (If applicable):**
 - Vicinity Map
 - Plan Maps including former structure and burn debris footprint
 - Photographs
 - Laboratory Test Results



Butte County Environmental Health Division
202 Mira Loma Drive, Oroville, California 95965
Phone: (530) 552-3880
Email: alternativeprogram@buttecounty.net

Appendix B

Final Report Outline/Contents

Index of Final Report Contents:

- Section 1: Property Information (Assessor's Parcel Number, Contacts for Owner/Contractor(s)/Consultants)
- Section 2: Description of work performed:
 - 2A Site Testing and Analyses, description and summary of results (Asbestos and Soil)
 - 2B Air Monitoring Protocols for Fugitive Dust Implementation
 - 2C Hazardous Waste and Asbestos Removal Documentation, including disposal receipts
 - 2D Debris Removal Documentation, including disposal receipts
 - 2E Soil Grading / Removal to level of visually clean
 - 2F Foundations (Removal or Engineer's Certification for Potential Reuse)
 - 2G Confirmation Sampling Results Discussion
 - 2H Documentation of Appliance and Vehicle Recycling or Disposal
 - 2I Documentation of work related to Well and Septic
- Section 3: Vicinity Map, Plot Plan and Drawings
- Section 4: Analytical Table with results compared with State Health Screening Criteria
- Section 5: Certified Laboratory Reports



Butte County Environmental Health Division
 202 Mira Loma Drive, Oroville, California 95965
 Phone: (530) 552-3880
 Email: alternativeprogram@buttecounty.net

Appendix C

Solid Waste Disposal & Recycling Facilities

This list on this page is incomplete and other facilities in the region may accept waste, recycling, concrete and asphalt. The Alternative Program does not require owners/contractors to bring waste to any of the facilities listed on this page.

Facility Name	Facility Address/Phone	Materials Accepted
Neal Road Recycling and Waste Facility	1023 Neal Road, Paradise/ (530) 879-2350	Metal/Concrete/Asphalt, Non-Friable Asbestos, Ash/Debris Tonnage limits & Disposal fees under review and subject to change.
Anderson Landfill	18703 Cambridge Rd, Anderson/ (530) 347-5236	Metal/Concrete/Asphalt, Friable/Non-Friable Asbestos, Ash/Debris & Contaminated Soils Tonnage limits & Disposal fees under review and subject to change.
Recology Ostrom Road Landfill	5900 Ostrom Rd., Wheatland/ (530) 743-6321	Concrete/Asphalt Non-Friable Asbestos, Ash/Debris (not open to the general public -contracted commercial waste Haulers by prior arrangement only)
Franklin Construction	1019 Neal Rd, Paradise/ (530) 343-9600	Concrete/Asphalt



Butte County Environmental Health Division
 202 Mira Loma Drive, Oroville, California 95965
 Phone: (530) 552-3880
 Email: alternativeprogram@buttecounty.net

Appendix D

Asbestos and Hazardous Waste Service Providers

The following information regarding companies that provide asbestos and hazardous waste services is provided to assist victims of recent wildfires to engage in the cleanup process. Butte County Environmental Health Division does not recommend or endorse individual service providers, and cannot guarantee their services.

Burn sites should be evaluated for asbestos and hazardous waste; identified asbestos and hazardous waste shall be properly disposed of prior to commencement of demolition work and debris removal. Some of the listed consultants can perform all of these services, while others can only perform some of the services. Companies listed with (A) can perform asbestos work, while companies listed (HW) can perform hazardous waste work.

NRC Environmental Services, Inc. (A) (HW) Chris Neal 1111 Marauder Chico, CA 95973 (530) 343-5488	ACE Environmental Management, Inc. (A) (HW) Major Geiger P.O. Box 3214 Yuba City, CA 95992 (530) 701-3182
Asbestos Science Technology (A) John Warren P.O. Box 505 Bangor, CA 95914 (530) 518-0934	Health Science Associates (A) 10771 Noel Street Los Alamitos, California 90720 (855) 633-1366
Ben's Truck & Equipment, Inc. (HW) 2060 Montgomery Rd Red Bluff, CA 96080 (530) 527-5040 Info@BensTruck.org	Alliance Environmental Services (A) (HW) William Irwin 34 Glenshire Ln. Chico, CA 95973 (530) 345-8562
Entek, Inc. (A) Rick Beall 4200 Rocklin Rd. Suite. 7 Rocklin, CA 95677 (916) 632-6800	Warren Asbestos (A) 209 McCaton Dr, Bangor, CA 95914 (530) 679-1100

Appendix D

Wike Restoration, Inc. (A) 1282 Hassett Avenue, Suite 1 Yuba City, CA 95991 (530) 674-2693	Northstate Earth and Water Inc. (HW) Mike Fitzgerald P O Box 494130 Redding, CA 96049 (530) 351-3604
Clay Guzi, Guzi-West Inspection and Consulting (A) 19749 Sweetwater Trail Redding, CA 96003 (530) 515-0922 www.guziwest.com	

This list is a partial listing of California Certified Asbestos Consultants that work in the northern California area. A complete list of California Certified Asbestos Consultants is available at http://www.dir.ca.gov/databases/doshcaccsst/caccsst_query_1.html (see Search function at the bottom of the web page). Additional hazardous waste removal companies are listed in the Yellow Pages telephone directory under "Hazardous Material Control & Removal". Please check the California Contractors State License Board's website at <https://www2.cslb.ca.gov/onlineservices/CheckLicenseII/ZipCodeSearch.aspx> to verify that any contractor or company that you hire has the proper certifications to perform the type of work required on your property.



Butte County Environmental Health Division
202 Mira Loma Drive, Oroville, California 95965
Phone: (530) 552-3880
Email: alternativeprogram@buttecounty.net

Appendix E

Template Work Plan

Alternative Fire Debris Removal Program Standard Work Plan Template

To ensure safety to workers, the public and the environment, property owners, contractors and consultants must follow proper protocol when removing structural ash and debris left from the Camp Fire. The Town and County are offering two ways for property owners to manage the fire debris and ash from the wildfire disaster: 1) participate in the Government (CalOES) Program or 2) submit the Alternative Fire Debris Removal Program Application (Alternative Program Application) and Work Plan to the Butte County Environmental Health Division.

Property owners who choose not to participate in the Government (CalOES) Program (or who have qualifying structures on the property but are not eligible for the Government (CalOES) Program) will need to submit the Alternative Program Application and Work Plan application to the County. Property owners/contractors may begin debris removal when the County has approved the application and work plan.

If a property did **not** include a qualifying structure (120 square feet or more), the property owner is not required to complete the Alternative Program Application. These property owners should contact the Butte County Environmental Health Division to obtain a certificate to bring ash and debris to the Neal Road Recycling and Waste Facility.

Property owners/contractors must complete debris removal and cleanup to the Government (CalOES) Program standard, as required by the urgency ordinances approved by local government. These standards are established to ensure protection of the public health and environment. This document is a standard work plan template for the Alternative Fire Debris Removal Program work plan.

Complete and submit both this standard work plan and the Alternative Program Application to the Butte County Environmental Health Division located at 202 Mira Loma Drive, Oroville, California, 95965.

Appendix E

1.0 Project Overview

1.1 Property Information and Property Owners		
Property Owner Name:		
Property Address:	City:	Zip:
Assessor's Parcel Number (APN):		
Phone(s):	Email:	
Mailing Address:	City:	Zip:

1.2 List of Contractor(s) and Consultants	
Name:	License No.:
Phone:	Email:
Name:	License No.:
Phone:	Email:
Name:	License No.:
Phone:	Email:

1.3 Scope of Work:
<p>Provide a brief description of property and proposed activities (Footprint, description of structures and/or debris). Attach Photos/Sketches of ash footprint.</p>

Appendix E

Identify/discuss proposed equipment material staging areas:
Identify/discuss Site Health and Safety Protocols and Traffic Control:
If applicable, damaged water wells and/or water lines on property will be addressed in the following manner:
If applicable, damaged septic systems and/or sewer lines on property will be addressed in the following manner:

1.4 REQUIRED Notifications / Permits

The following notifications will be made and permits obtained:

Underground Service Alert (USA) – Call 811 Dig Alert prior to digging.

Obtain approval of your Alternative Program Application from:

Butte County Environmental Health Division
202 Mira Loma Drive, Oroville, California, 95965
Phone: (530) 552-3880
Email: alternativeprogram@buttecounty.net

2.0 Background Site Assessment

2.1 Site Testing and Analysis Plan (Asbestos and Soil)

Appendix E

A certified asbestos consultant and soil consultant will be hired to test the site. Site testing and analysis for asbestos and soil will be addressed in the following manner:

Submit a report of the asbestos survey with analytical reports to the Butte County Environmental Health Division for disposal authorization at Neal Road Recycling and Waste Facility.

2.2 Foundation Analysis and Plan

In general, the structural integrity of concrete and masonry can adversely be affected in fire situations, especially when the structure is completely consumed by the fire. The properties of the material may be irreversibly altered deeming it unsatisfactory for reuse in supporting a rebuilt structure.

Property owners have two options:

1. Completely remove and dispose of foundation,
2. If foundation is to remain in place, testing, engineer's certification and approval from the Town or County Building Division is required.

Structural foundations on the property will be addressed in the following manner:

3.0 Hazardous Waste and Asbestos Removal

3.1 Hazardous Waste and Asbestos Removal

During Phase I of Consolidated Fire Debris Removal, teams of County staff and experts from the US EPA/DTSC inspected the property and removed any identifiable and accessible household hazardous waste that may pose a threat to human health, animals, and the environment such as batteries, oil, propane tanks, visible bulk asbestos, and paints. However, some hazardous materials and/or asbestos or asbestos containing materials (ACM) may still be present on the property and pose a threat to public health and the environment. Proper protection should be worn when handling, sorting, and transporting these materials (sturdy footwear, gloves, respiratory protection).

Appendix E

3.2 Hazardous Waste and Household Hazardous Waste Removal

All remaining hazardous waste and household hazardous waste (HHW) shall be identified and disposed by a certified hazardous waste contractor. Household hazardous wastes (batteries, propane tanks, paint, gasoline cans, cleaning products, pesticides, fluorescent light bulbs, etc.) must be identified, segregated, and disposed of properly.

Hazardous Waste Handling and Removal Procedures

Certified Hazardous Materials/Waste Contractor

Name:

License No.:

Disposal and/or Recycling Facility(s)

Submit a report of the hazardous waste survey and disposal documentation, if required, to the Butte County Environmental Health Division for disposal authorization at Neal Road Recycling and Waste Facility.

3.3 Asbestos Removal

Asbestos or ACM requires assessment by a Certified Asbestos Consultant. **This must be completed for all properties participating in the Alternative Program.** Asbestos and asbestos containing material must be removed by a licensed Asbestos Abatement Contractor. If bulk loading ACM, the bin or container used for transport shall be double-lined with 10-mil poly in such a way that once loaded both layers can be sealed up independently (“burrito-wrap method”).

Asbestos Handling and Removal Procedures

Certified Asbestos Consultant hired to test the site

Appendix E

Name: License No.:
Asbestos Removal Contractor
Name: License No.:
Disposal Facility(s)

3.4 Air Monitoring Protocols for Fugitive Dust Control

Property owners or their contractors must provide water or an approved dust palliative, or both, to prevent a dust nuisance at the site. Dust resulting from performance of the work will be controlled at all times in a manner that does not generate runoff. Dust Control Methods include:

- **Control 1-** Water or an approved dust palliative, or both, will be used to prevent dust nuisance at each site. Each area where ash and debris are to be removed will be pre-watered with a fine spray nozzle in advance of initiating debris removal and as needed during the removal.
- **Control 2-** All loads shall be covered with a tarp; this includes metal debris. Ash and debris loads shall be fully encapsulated with 10-millimeter plastic (“burrito wrap” method). Concrete loads are exempt from a tarp provided the loads are wetted prior to leaving. If concrete loads generate dust, then the loads must be wetted and covered.
- **Control 3-** All waste material that is not unloaded at the end of each workday will be consolidated, sufficiently wetted, and/or covered to prevent the offsite migration of contaminants.
- **Control 4-** All visibly dry disturbed soil surface areas of operation should be watered to minimize dust emissions during performance of work.
- **Control 5-** Speeds must be reduced when driving on unpaved roadways.
- **Control 6-** Procedures will be implemented to prevent or minimize dirt, soil or ash contaminating roadways, neighboring parcels or creating an airborne health hazard.

Appendix E

In addition to the above listed methods, dust from debris removal activities on the property will be addressed in the following manner:

4.0 Debris Removal and Disposal / Recycling

Remove ash, debris, contaminated soil, metals and concrete from the site and dispose of properly. Metals and concrete shall be recycled if possible. Appliances and vehicles shall be handled properly to meet the requirements of metals recycling facilities. All waste shall be disposed of at an approved location from the list provided, or at other locations authorized to accept such waste. (See Appendix C in Guidelines, Templates and Resource List for Property Owners, Contractors and Consultants).

Debris shall be handled in the following manner:

4.1 Ash, Fire Debris and Soil

4.2 Metals Including Vehicles and Appliances

4.3 Concrete, Brick & Masonry

Neal Road Recycling and Waste Facility will need certification from the Butte County Environmental Health Division that the ash and debris has been assessed for hazardous waste and asbestos and any discovered has been properly removed and disposed.

Appendix E

5.0 Soil Grading and Erosion Control

5.1. Description of Grading

After burn ash and debris are cleaned from the property to a level of visually clean, remove 3 to 6 inches of soil from the impacted area. Soil shall be properly disposed of as described in 4.1 above.

5.2 Description of Erosion Controls

When active fire ends it leaves behind bare dirt or decreased vegetative cover. Because of the loss of vegetation, the top layer of soil becomes loosened, making it vulnerable to increased runoff, erosion and sedimentation. Erosion and sediment stabilization practices will be implemented to keep sediment and debris from impacting homes. Erosion and sediment stabilization techniques to be used are listed below and are consistent with recognized Best Management Practices and outlined in the *Guidelines, Templates, and Resource List* provided.

6.0 Confirmation Sampling

Initial Screening Criteria and protocols have been established in consultation with CalRecycle for soil confirmation sampling after completion of visible cleanup of properties. These are initial health screening criteria in the absence of background data. Testing of metals must be performed by EPA Lab Method 6020. A qualified soil consultant shall collect soil samples from a depth of 0-3 inches for confirmation sampling and compare results to cleanup goals. Three samples shall be taken at a depth of 3-9 inches outside the ash footprint (20 ft. minimum) to act as background samples to determine if naturally occurring levels of any metals tested are above the cleanup goals. If samples from the ash footprint are below the cleanup goals then the lab will not need to test the background samples. If sample results for any metals are above the cleanup goals but are at or below the background sample results, this must be adequately explained by your soil consultant in the final testing report.

Attach a sketch showing the ash footprint and anticipated soil sample locations.

Soil Consultant Collecting Samples
Name:
License No.
State-certified Laboratory
Name:
Phone:

Initial Health Screening Criteria for Soil		
Analyte	Health Screening Level mg/Kg	Cleanup Level
Antimony	30	Health Screen

Appendix E

Arsenic	0.07	Health Screen
Barium	5,200	Health Screen
Beryllium	15	Health Screen
Cadmium	1.7	Health Screen
Chromium	36,000	Health Screen
Cobalt	23	Health Screen
Copper	3,000	Health Screen
Lead	80	Health Screen
Mercury	5.1	Health Screen
Molybdenum	380	Health Screen
Nickel	490	Health Screen
Selenium	380	Health Screen
Silver	380	Health Screen
Thallium	5	Health Screen
Vanadium	390	Health Screen
Zinc	23,000	Health Screen

Final Report

After implementation of the approved work plan, the Alternative Fire Debris Removal Program Cleanup Completion Certification, along with a Final Report shall be submitted to the Butte County Environmental Health Division. Information and documentation included in the Final Report will follow the outline provided in Appendix B of the Guidelines, Templates and Resource List for Property Owners, Contractors and Consultants.

7.0 Attachments (Vicinity Map, Plan Maps, Photographs, Drawings, Laboratory Test Results, Etc.)



Butte County Environmental Health Division
 202 Mira Loma Drive, Oroville, California 95965
 Phone: (530) 552-3880
 Email: alternativeprogram@buttecounty.net

Appendix F

ALTERNATIVE FIRE DEBRIS REMOVAL PROGRAM CLEANUP COMPLETION CERTIFICATION

What is the purpose of this form? The purpose of this form is to certify that your parcel has been properly cleaned and the removal of hazardous wastes, ash, and debris has been completed. This form will be used to certify property owner or contractor cleanup completion so that building permits can be approved.

Who needs to complete this form? Property owners who elect *not* to participate in the Government (CalOES) Program and choose to clean up their property with a qualified contractor and consultants in the Alternative Program.

Property Owner Name: _____ Year Structure Built: _____

Property Address: _____ Town/City: _____

Assessor's Parcel Number: _____ Email: _____

Mailing Address: _____

Mailing City: _____ State: _____ ZIP: _____

A. Program Participation

Yes, I completed the "Alternative Fire Debris Removal Program Application"

B. Household Hazardous Waste and Asbestos Screening and Disposal

1. Household Hazardous Waste Removal

Description of wastes found onsite: _____

Provide disposal receipt documentation for all household hazardous waste identified and removed for proper disposal.

Appendix F

2. Asbestos Waste Screening

Contractor Name: _____ License Number: _____

Determination based on inspection:

Attach sample results, if applicable.

Consultant Name: _____ Certification Number: _____

Telephone: _____

If Asbestos was present, attach asbestos waste disposal receipts.

C. Ash, Debris and Soil Disposal

1. The ash, debris and soil was removed and disposed of by:

Licensed Contractor Hauler Contractor

Name: _____ Phone: _____

Address: _____ City: _____

License Number: _____ License Type: _____

Date of Completion: _____ (Attach disposal documentation)

D. Metal Recycling

1. The ash, debris and soil was removed and disposed of by:

Licensed Contractor Hauler Contractor

Name: _____ License Number: _____

Address: _____ Phone: _____

City/State/Zip: _____

2. The waste metal from my property was taken for recycling to the following facility(s):

E. Inert Waste (Concrete and Masonry) Disposal

1. The inert waste was removed and disposed of by:

Licensed contractor Hauler/Myself

If you checked "Hauler/Myself" go to Part E2 below. If you checked "Licensed Contractor," please provide the following information and Part E2:

Appendix F

Name: _____ License Number: _____

Address: _____ Phone: _____

City/State/Zip: _____

2. The inert waste from my property was disposed at the following facility(s):

Facility Name: _____

Date(s) of Delivery: _____

Date of Completion: _____

(Attach disposal facility documentation)

F. Cleanup Confirmation Sampling Results

1. Consultant Name: _____ License Number: _____

Please attach a copy of the consultant's report containing the sampling locations, test results, analysis and conclusions.

G. Property Owner Certification and Indemnification

I hereby certify that all identifiable asbestos, household hazardous waste, burn ash and contaminated soil that may have been generated by the 2018 Camp Fire on my property and identified in this document have been identified, removed and properly disposed of or recycled. I understand that since cleanup of the property was performed under my direction, the County of Butte cannot certify that cleanup was adequate until I submit proof of cleanup and soil testing.

I agree to accept all responsibility for loss or damage to any person or entity, including the County of Butte and to defend and indemnify, hold harmless, and release County of Butte and Town of Paradise, its elected representatives, officers, agents, and employees, from and against any actions, claims, damages, demands, losses, liabilities, disabilities or expenses, defense costs (including reasonable attorney fees), of any kind or nature, that may be asserted by any person or entity with respect to the removal of debris and any hazardous material from the above-mentioned real estate property.

Property Owner Signature: _____ Date: _____

Contractor Signature: _____ Date: _____

County Receipt: _____ Date: _____